

OPEN UTILITY AR 2.0

8', 10', 12', 14'



54"x8' – 66"x10'

STANDARD FEATURES

- All-Aluminum Construction
- 2"x3" Subframe Tubing
- 24" O/C Floor Crossmembers
- Triple Tube Box Tube Tongue
- Dexter Torsion Idler Axle
- Adjustable Track for Perimeter Easy Install Options
- Adjustable Interior Track for Easy Install Tie-Downs
- Adjustable Perimeter Track for Easy Install Options
- Integrated Rear Ramp with Beveled Edge
- 3-Piece Extruded Hinge System
- Exterior LED Lighting
- Extruded Aluminum Decking
- Easy Removable Aluminum Fenders
- 6000# Coupler w/ 2" Ball
- 5-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	54X8	54X10	60X8	60X10	66X10
Model Number	HU54x8AR-2.0	HU54x10AR-2.0	HU60x8AR-2.0	HU60x10AR-2.0	HU66x10AR-2.0
Deck (WxL)	50"x96"	50"x119"	56"x96"	56"x119"	62"x119"
Overall (WxL)	76"x150"	76"x173"	82"x150"	82"x173"	88"x173"
Deck Height	16"	16"	16"	16"	16"
Hitch Height	13"	13"	13"	13"	13"
Axle(s) - Qty/Rating	1-2200#	1-2200#	1-2200#	1-2200#	1-2200#
Wheels	13" Aluminum	13" Aluminum	13" Aluminum	13" Aluminum	13" Aluminum
Tires	175/80R13	175/80R13	175/80R13	175/80R13	175/80R13
GVWR	2200#	2200#	2200#	2200#	2200#
Curb Weight	408#	458#	498#	542#	582#
Payload	1792#	1742#	1702#	1658#	1618#
Power Connection	4-Way Flat	4-Way Flat	4-Way Flat	4-Way Flat	4-Way Flat

OPTIONS & ACCESSORIES

RAMP OPTIONS	EASY INSTALL/ADJUST OPTIONS
Bi-Fold Ramp Upgrade	Easy Install/Adjust Spare Tire Mount
JACKS & JACK ACCESSORIES	Easy Install/Adjust Stake Pocket Kit: Includes (4) Stake Pockets w/Hardware
1200# Wheel Jack	Easy Install/Adjust D-Ring Kit: Includes (4) 2,000-lb. D-Rings & Hardware
1500# Wheel Jack	Easy Install/Adjust D-Ring
RAIL KIT OPTIONS (2.0) MODELS	Easy Install/Adjust Drop-Down Stabilizer Jacks (Pair)
Easy Install 10" Solid Rail Kit for 54x8	Easy Install/Adjust Cooler Tray
Easy Install 10" Solid Rail Kit for 54x10	Easy Install/Adjust Tool Rack
Easy Install 10" Solid Rail Kit for 60x8	TIRE/WHEEL ASSEMBLIES & ACCESSORIES
Easy Install 10" Solid Rail Kit for 60x10	Spare 13" Aluminum Wheel w/ 175/80R13 Tire
Easy Install 10" Solid Rail Kit for 66x10	Spare 14" Aluminum Wheel w/ 205/75R14 Tire
Easy Install 14" Slatted Rail Kit for 54x8	Downgrade to Silver Mods From Aluminum Rims
Easy Install 14" Slatted Rail Kit for 54x10	Upgrade to 14" Aluminum (Radial Ply; From 13" Aluminum)
Easy Install 14" Slatted Rail Kit for 60x8	Upgrade to 15" Aluminum (Radial Ply; From 13" Aluminum)
Easy Install 14" Slatted Rail Kit for 60x10	FLOORING OPTIONS
Easy Install 14" Slatted Rail Kit for 66x10	Upgrade to 5/4" Pressure Treated Decking Boards (From Extruded Aluminum; PBF)
Easy Install 2"x2" Removable Rail Kit (PBF)	



OPEN UTILITY AR 2.0

8', 10', 12', 14' CONTINUED

72"x10' – 80"x14'

STANDARD FEATURES

- > All-Aluminum Construction
- > 2"x3" Subframe Tubing
- > 24" O/C Floor Crossmembers
- > Triple Tube Box Tube Tongue
- > Dexter Torsion Idler Axle
- > Adjustable Track for Perimeter Easy Install Options
- > Adjustable Interior Track for Easy Install Tie-Downs
- > Adjustable Perimeter Track for Easy Install Options
- > Integrated Rear Ramp with Beveled Edge
- > 4-Piece Extruded Hinge System
- > Exterior LED Lighting
- > Extruded Aluminum Decking
- > Easy Removable Aluminum Fenders
- > 6000# Coupler w/ 2" Ball
- > 5-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	72X10	72X12	80X12	80X14
Model Number	HU72x10AR-2.0	HU72x12AR-2.0	HU80x12AR-2.0	HU80x14AR-2.0
Deck (WxL)	68"x119"	68"x146"	76"x146"	76"x169"
Overall (WxL)	94"x173"	94"x200"	102"x200"	102"x223"
Deck Height	17"	17"	17"	17"
Hitch Height	14"	14"	14"	14"
Axle(s) - Qty/Rating	1-3500#	1-3500#	1-3500#	1-3500#
Wheels	14" Aluminum	14" Aluminum	14" Aluminum	14" Aluminum
Tires	205/75R14	205/75R14	205/75R14	205/75R14
GVWR	2990#	2990#	2990#	2990#
Curb Weight	667#	697#	730#	862#
Payload	2323#	2293#	2260#	2128#
Power Connection	4-Way Flat	4-Way Flat	4-Way Flat	4-Way Flat

OPTIONS & ACCESSORIES

RAMP OPTIONS

Bi-Fold Ramp Upgrade

JACKS & JACK ACCESSORIES

1200# Wheel Jack

1500# Wheel Jack

RAIL KIT OPTIONS (2.0) MODELS

Easy Install 10" Solid Rail Kit for 72x10

Easy Install 10" Solid Rail Kit for 72x12

Easy Install 10" Solid Rail Kit for 80x12

Easy Install 10" Solid Rail Kit for 80x14

Easy Install 14" Slatted Rail Kit for 72x10

Easy Install 14" Slatted Rail Kit for 72x12

Easy Install 14" Slatted Rail Kit for 80x12

Easy Install 14" Slatted Rail Kit for 80x14

Easy Install 2"x2" Removable Rail Kit (PBF)

Easy Install Side Stow ATV Ramps w/10" Solid Side Rail Kit (12')

Easy Install Side Stow ATV Ramps w/10" Solid Side Rail Kit (14')

EASY INSTALL/ADJUST OPTIONS

Easy Install/Adjust Spare Tire Mount

Easy Install/Adjust Stake Pocket Kit: Includes (4) Stake Pockets w/Hardware

Easy Install/Adjust D-Ring Kit: Includes (4) 2,000lb D-Rings & Hardware

Easy Install/Adjust D-Ring

Easy Install/Adjust Drop-Down Stabilizer Jacks (Pair)

Easy Install/Adjust Cooler Tray

Easy Install/Adjust Tool Rack

TIRE/WHEEL ASSEMBLIES & ACCESSORIES

Spare 14" Aluminum Wheel w/ 205/75R14 Tire

Downgrade to Silver Mods From Aluminum Rims

Upgrade to 15" Aluminum (Radial Ply; From 14" Aluminum Wheels; Open Trailers)

FLOORING OPTIONS

Upgrade to 5/4" Pressure Treated Decking Boards (From Extruded Aluminum; PBF)



RAMP CAPACITY BY MODEL

Ramp Type	Applicable Models	Capacity
Utility Trailer Rear Ramp (Fold-Down)	SSR (All Sizes), AR 2.0 (All Sizes), WR 2.0 (All Sizes), FA 2.0 (All Sizes), Landscape 2.0 (All Sizes)	750#
Utility Trailer Rear Ramp (Fold-Down Bi-Fold)	SSR (Optional, All Sizes), AR 2.0 (Optional, All Sizes), WR 2.0 (Optional, All Sizes), FA 2.0 (Optional, All Sizes), Landscape 2.0 (Optional, All Sizes)	750#
Deckover Equipment Trailer Ramps (Stow)	(All Sizes)	4000# (Pair)
Deckover Equipment Trailer Ramps 14K (Fold-Down)	(All Sizes)	5000# (Pair)
Patriot Ramps (Fold-Down)	Stowaway 6' Aluminum Ramps	4000# (Pair)
Patriot Ramps 14K (Fold-Down)	(All Sizes)	5000# (Pair)
Dump Trailers (Side-Stow, Optional)	(All Sizes)	4000# (Pair)
ATV (83" Wide, Side-Stow)	(All Sizes)	1200# (Pair)
ATV (88" Wide, Side-Stow)	(All Sizes)	750# (Pair)
Open Motorcycle (Rear-Stow)	(All Sizes)	1200#
Slingshot Rear Ramp (Fold-Down Bi-Fold)	HU-SLINGSHOT	1500#
Open Car Hauler 2.0 (Stow)	(All Sizes)	4000# (Pair)
Open Car Hauler 2.0-10K (Stow)	(All Sizes)	4000# (Pair)
Open Car Hauler Standard (Stow)	(All Sizes)	4000# (Pair)
Open Snow (Rear Stow)	HFS	750#
Sport Deck (Rear Stow, Telescoping)	HFS	1000#
Enclosed Cargo (4', 5', 6' Wide)	(All Sizes)	1500#
Enclosed Cargo (7', 7.5' Wide)	(All Sizes)	1500#
Enclosed Cargo (8.5' Wide, Premium)	(All Sizes)	1500#
Enclosed Motorcycle (7' Wide)	(All Sizes)	1500#
Enclosed Car Hauler (8.5' Wide)	(All Sizes)	4000#
Enclosed Gooseneck (8.5' Wide, Rear)	(All Sizes)	4000#
Enclosed Gooseneck (8.5' Wide, Side, Optional)	(All Sizes)	1200#
Enclosed Snowmobile (7', 7.5', 101" Wide, Rear)	(All Sizes)	1500#
Enclosed Snowmobile (7', 7.5', 101" Wide, Front)	(All Sizes)	1200#
Enclosed Snowmobile (Crossover, Rear)	(All Sizes)	1500#